Web   **Images**   **Groups**   **News**   **Froogle**   **Maps**   **more »**

Google™

| Lustre: A scalable, High-performance file syste | **Search** | Advanced Search
Preferences |

Web   Results **1** - **10** of about **27,900** for **Lustre: A scalable, High-performance file system** . (**0.25** seconds)

Did you mean: ***LustreA*** scalable, High-performance file system

[PDF] Lustre: A Scalable, High-Performance File System
File Format: PDF/Adobe Acrobat - View as HTML
Lustre: A Scalable, High-Performance File System. Cluster **File** Systems, Inc. Abstract:.
Today's network-oriented computing environments require ...
www.**lustre**.org/docs/whitepaper.pdf - Similar pages

[PDF] high-performance storage architecture and scalable cluster file system
File Format: PDF/Adobe Acrobat - View as HTML
Lustre is a highly **scalable** distributed **file. system** that combines open standards, ... of
networks and **high performance** features. **Lustre** interoperates with ...
www.**lustre**.org/docs/**lustre**-datasheet.pdf - Similar pages

Lustre
Cluster **File** Systems, Inc. is the leading developer of next generation technology for
scalable high-performance file systems. Our **Lustre® file system** ...
www.clusterfs.com/ - 8k - Cached - Similar pages

Scali partners with Cluster File Systems to deliver managed, high ...
Additionally, Scali announced support for CFS's **Lustre file system** within ... "This
increases their need for **scalable, high performance** storage solutions to ...
www.clusterfs.com/pr/2005-05-17.html - 8k - Cached - Similar pages
[More results from www.clusterfs.com]

Citations: Lustre: A Scalable HighPerformance File System ...
Cluster **File** Systems, "**Lustre: A Scalable HighPerformance File System**," White Paper,
2002. Home/Search Document Not in Database Summary Related Articles ...
citeseer.ist.psu.edu/context/2551956/0 - 6k - Cached - Similar pages

Citations: High Performance File System - Scalable (ResearchIndex)
Lustre: A Scalable, High Performance File System, Cluster **File System**, Inc. 2003.
http://www.**lustre**.org/docs.html.
citeseer.ist.psu.edu/context/2431534/0 - 8k - Cached - Similar pages

[PPT] File Systems
File Format: Microsoft Powerpoint 97 - View as HTML
Lustre: A Scalable, High-Performance File System (continued...) Why is **Lustre**
needed? Problems with many traditional distributed **file** systems ...
cse.unl.edu/~yzhu/seminar04f/FileSystems.ppt - Similar pages

HP reels in SharcNet with scalable file system
Attached to each of these clusters will be HP's **Scalable File** Share (SFS) ... The group
liked the fact that SFS is based on the **Lustre file system**. ...
searchstorage.techtarget.com/originalContent/ 0,289142,sid5_gci1100856,00.html - 61k -
Cached - Similar pages

HP SFS
StorageWorks **Scalable File** Share Adds **Lustre** to Storage Grid, ... HP develops **high-**

performance file system for Linux clusters November 8, 2004; ...
www.hp.com/techservers/products/sfs.html - 50k - Cached - Similar pages

Scali - Scali partners with Cluster **File** Systems to deliver ...
Additionally, Scali announced support for CFS's **Lustre file system** within ... "This
increases their need for **scalable, high performance** storage solutions to ...
www.scali.no/index.php?option=com_ content&task=view&id=112&Itemid=79 - 24k -
Cached - Similar pages

Did you mean to search for: *LustreA* scalable, High-performance file system

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: 1 **2 3 4 5 6 7 8 9 10**   **Next**

Info when you want it, right on your desktop
Free! Download Google Desktop

Google

News   « ▼
New lines of communication
Financial Times   3 hrs ago

Email   « ▼
Lunch tomorrow?
Mandy M Y <..   11 min ago

61°F Clear - Mount « ▼
DJI 10434.87 -84. « ▼

Type to search

11:22 AM

[Lustre: A scalable, High-performanc] [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13	"6122633"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:07
S2	34	"6115646"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:59
S3	7	"0854431"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 14:46
S4	46	"0111509"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 15:13
S5	4	"9963463"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:45
S6	1222	workflow with management	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 10:15
S7	5	event-identification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 10:15
S8	5648	event with identification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:21
S9	1	S6 with S8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 10:16

S10	19	S6 and S8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 10:16
S11	2008	707/100.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 10:17
S12	33	S6 and S11	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 10:17
S13	15518	signaling and events	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:08
S14	61	S6 and S13	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:17
S15	4	"6772407"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:13
S16	7	"6011917"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:14
S17	25	"5960420"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:16
S18	3	"6832201"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:16
S19	1719	event with identification and specification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:22

EAST Search History

S20	11	S6 and S19	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:07
S21	0	2002/0069190	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:08
S22	67	Geiselhart	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:11
S23	10928626	method and system of weighted context feedback for result improvement in information retrieval	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:14
S24	33895	Reinhold Geiselhart	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:23
S25	237153	context ranking	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:15
S26	139	context ranking	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/03 17:22
S27	31	"0069190"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/03 17:26
S28	0	"020069190"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/03 17:26
S29	862311	Reinhold Geiselhart with method and system of weighted	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:27

S30	31	"0069190"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/03 17:26
S31	2	"20020069190"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/03 17:28
S32	3	"20020069190"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/08 09:24
S33	6	"6785670"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 08:50
S34	5	"6601075"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/08 14:17
S35	13	"6122633"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 13:09
S36	34	"6115646"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 14:47
S37	1081877	distribution$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 13:10
S38	717	work flow management	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:11

EAST Search History

S39	1230	workflow management	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:11
S40	5	event-identification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:11
S41	5670	event identification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:11
S42	7319	event$1 identification	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:12
S43	312	S39 and S37	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:12
S44	39	S39 with S37	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:13
S45	11	S43 and S42	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:14
S46	2023	707/100.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:14
S47	12	S46 and S43	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/09 13:14
S48	0	17/60.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 15:14

S49	6	"6567783"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 08:50
S50	5	"6601075"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 10:20
S51	4	"6374275"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 12:36
S52	3	Boolean-predicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 12:37
S53	438	Boolean predicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 12:37
S54	1598	Workflow Management System	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 12:37
S55	14	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2006/05/12 12:37
S56	54	user-interface with controlling interaction	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:21
S57	8986	job control language	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:22

EAST Search History

S58	1695	job control language statement	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:23
S59	1695	job control language and statement	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:23
S60	1695	job and control and language and statement	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:29
S61	81402	trimming	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:35
S62	34	S60 and S61	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:30
S63	7	DFSORT	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 15:48
S64	0	trimming and DFSORT	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 11:35
S65	0	back-end software for interacting with a subject database application	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 15:49
S66	0	back-end software for interacting with database application	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 15:49
S67	61	back-end software interacting with database application	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 15:59

EAST Search History

S68	3	back-end and software with interacting with database and application	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 15:56
S69	34	front-end software interacting with database application	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/23 15:59
S70	27	"6249844"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:28
S71	9	"6460052"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:32
S72	34366617	pre-allocating space for a file in a cluster file system	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:32
S73	3	pre-allocating and space and cluster and file	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:35
S74	1567288	create file	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:35
S75	10030	create with file	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:35
S76	365238	client message	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:36
S77	10211	client with message	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:36

EAST Search History

S78	657	S77 and S75	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:36
S79	2370053	serverwith receive	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:36
S80	15983	server with receive	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:37
S81	296	S78 and S80	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:40
S82	6189602	creating with cluster and file system	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:51
S83	296	S81 and S82	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:41
S84	25	pre-allocating with space	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:42
S85	95	pre-allocating and space	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:15
S86	0	S85 and S83	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:43
S87	0	S85 and S81	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:43

EAST Search History

S88	87	S85 and S82	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:45
S89	296	S72 and S83	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:46
S90	6189598	creating with cluster with file system	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:14
S91	296	S81 and S90	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:15
S92	25	pre-allocating with space	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:15
S93	0	S91 and S92	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:16
S94	26835	creat$3 with file	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:09
S95	113	stor$3 with data near allocat$2 with file	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:10
S96	209832	setting with time	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:23
S97	67	S94 and S95	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:12

S98	3	S96 and S97	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:12
S99	9232827	set time	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:23
S100	588330	set with time	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:23
S101	6532	S94 and S100	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:24
S102	31	S95 and S101	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:24